Mini Tag

COMPACT ROUND BLUETOOTH TRACKING TAG · ANDROID & IOS

PART No. SL-0001-YI

A compact, lightweight Bluetooth tracking tag for the assets that do not justify a cellular tracker. It works with both Android and iOS, needs no charging, supports 5-minute reporting intervals and keeps a route history you can play back — so you see where an asset has been, not only where it is now.

- Works with both Android and iOS
- Supports 5-minute reporting intervals
- Route history saved and played back in the app or on the Vision platform
- Up to 3 years standby — no charging
- First position in less than one minute



Compact round tag · Ø 37 × 16 mm

PRODUCT MARKINGS CE

37 mm DIAMETER	**16 mm** THICKNESS	**30 g** GROSS WEIGHT	**Up to 3 yrs** STANDBY · NO CHARGING
5 min REPORTING INTERVAL	**15–25 m** INDOOR RANGE	**50–70 m** OUTDOOR RANGE	**Android · iOS** DUAL SYSTEM

Ideal for

- Tools & cases
- Plant accessories
- Equipment
- Trailers

Tag the many
A fraction of the cost of a cellular tracker.

One platform
Tags alongside your vehicles and trackers.

No charging
Up to 3 years standby.

Why Vision Telematics

- **Expert support** — Help from our specialist team
- **Commercial grade** — Built for working fleets and assets
- **One platform** — Vehicles, cameras & assets, one login
- **One partner** — Hardware, connectivity & software

Features & benefits

FEATURE — WHAT IT DOES	BENEFIT — WHAT IT MEANS FOR YOU
Frequent updates Supports reporting at 5-minute intervals.	**Current, not stale, positions** See movement through the day, not once a day.
Route history The historical route is saved and can be played back in the app or on the Vision platform.	**See where it has been** Trace an asset's movements, not only its last position.
Long standby Up to 3 years, with no charging.	**Fit and forget** No charging rounds or battery swaps.
Dual system Works with both Android and iOS.	**Works with the phones you have** No restriction on your team's devices.
Fast first fix A first position in less than one minute.	**Live in seconds** Tag it and see it on the map straight away.
Compact and light 37 mm × 16 mm and 30 g, in an ABS housing.	**Fits where a tracker will not** Small enough for tools, cases and accessories.

Technical specification

Positioning & connectivity

Positioning	Bluetooth
Compatibility	Android and iOS
Working range	Indoor 15–25 m · Outdoor 50–70 m
Reporting interval	Supports 5-minute intervals
First position	In less than one minute

Power

Standby time	Up to 3 years
Charging	None required

Physical & environmental

Dimensions	37 mm diameter × 16 mm
Gross weight	30 g
Housing material	ABS
Operating temperature	–20 °C to +70 °C
Operating humidity	5–95% RH
Certifications	CE

Options & accessories

Options & accessories

SL-0002-JI	Mag Tag	SL-0004-JI	Vision Card
SL-0003-JI	Vision Label	SL-0011-PT	Vision Asset Ultra (primary tracker)

On the Vision platform

Live location & history
Tags on the same map as your vehicles and trackers.

Route playback
Replay where a tagged asset has been.

Geofences
Alerts as tagged kit enters or leaves yards and sites.

One login
Vehicles, cameras and assets on the Vision platform.

Working range depends on the environment.

Ready to put the Mini Tag to work?

Talk to our team for a demonstration, a tailored quotation or help choosing the right configuration. We supply and support everything — hardware, connectivity and the Vision platform — from one partner.

Book a demo | Request a quote

Scan for the product page

CALL
0800 020 9339

EMAIL
info@visiontelematics.com

WEB
visiontelematics.com

VISIT
22 High Street, Epworth, Doncaster DN9 1ET, UK

Vision Telematics Limited · Registered in England & Wales No. 15637894 · VAT No. GB 466 8495 33 · 22 High Street, Epworth, Doncaster, DN9 1ET, United Kingdom
© 2026 Vision Telematics Limited. All rights reserved. Specifications are subject to change without notice and may vary by region and configuration. Images are for illustration only. Vision Telematics accepts no responsibility for errors or omissions.