Vision AVM 360 Kit

360° AVM SURROUND-VIEW KIT

PART No. SL-0057-FS

360-degree AVM surround-view kit with four cameras, an AVM stitching box, 7-inch monitor, power box and cabling, giving a seamless bird's-eye view around the vehicle. Supplied, provisioned and supported by Vision Telematics, with alerts and footage on the Vision platform.

- Four wide-angle AVM cameras with mounting brackets
- AVM processing box for real-time image stitching
- 7-inch in-cab monitor
- Power box and full cabling loom included
- Seamless 360-degree bird's-eye surround view



Supplied, provisioned and supported by Vision Telematics

PRODUCT MARKINGS CE

360° BIRD'S-EYE	**4 cameras** WIDE-ANGLE AVM	**Stitching** AVM BOX	**7" monitor** IN-CAB
IP69K CAMERAS	**Complete kit** CABLING INCLUDED	**Power box** INCLUDED	**Ready to install** EXPERT SUPPORT

Ideal for

HGVs · Vans & LCVs · Buses & coaches · Refuse & municipal · Tankers · Company cars

Prevent incidents
Real-time alerts tackle risk before it becomes a claim.

Protect your drivers
Clear footage defends drivers against false claims.

Fast to deploy
Supplied and provisioned, ready for professional installation.

Why Vision Telematics

Expert support
Help from our specialist team

Commercial grade
Built for working fleets and assets

One platform
Vehicles, cameras & assets, one login

One partner
Hardware, connectivity & software

Features & benefits

FEATURE — WHAT IT DOES	BENEFIT — WHAT IT MEANS FOR YOU
Surround view Four wide-angle AVM cameras with mounting brackets.	**No blind spots** See all around the vehicle in a single view.
In-cab display 7-inch in-cab monitor.	**Full awareness for the driver** Clear views and warnings where the driver needs them.
Power Power box and full cabling loom included.	**Simple installation** Fast, clean power connection.
Speed data Eliminates blind spots for low-speed manoeuvring.	**Context for every clip** Speed recorded alongside the footage.
Sealed, rugged build Rugged IP69K cameras for all-weather use.	**Built for the outside** Reliable through wash-downs, weather and vibration.

Technical specification

Specification

Surround view	Four wide-angle AVM cameras with mounting brackets
Surround view	AVM processing box for real-time image stitching
Display	7-inch in-cab monitor
Power	Power box and full cabling loom included
Surround view	Seamless 360-degree bird's-eye surround view
Speed	Eliminates blind spots for low-speed manoeuvring
Protection	Rugged IP69K cameras for all-weather use
Certifications	CE

Options & accessories

Options & accessories

SL-0051-FS Vision Blind-Spot AI Camera Kit

On the Vision platform

Live view
Stream any channel over 4G, on demand, from the Vision platform.

Automatic event video
Alerts and G-sensor events upload with the clip attached.

Tracking & trips
Live position, journeys and speed from built-in GNSS.

Coaching insight
Spot repeat behaviours and coach drivers with real footage.

Ready to put the Vision AVM 360 Kit to work?

Talk to our team for a demonstration, a tailored quotation or help choosing the right configuration. We supply and support everything — hardware, connectivity and the Vision platform — from one partner.

Book a demo

Request a quote

Scan for the product page

CALL
0800 020 9339

EMAIL
info@visiontelematics.com

WEB
visiontelematics.com

VISIT
22 High Street, Epworth, Doncaster DN9 1ET, UK

Vision Telematics Limited · Registered in England & Wales No. 15637894 · VAT No. GB 466 8495 33 · 22 High Street, Epworth, Doncaster, DN9 1ET, United Kingdom
© 2026 Vision Telematics Limited. All rights reserved. Specifications are subject to change without notice and may vary by region and configuration. Images are for illustration only. Vision Telematics accepts no responsibility for errors or omissions.