Mag Tag

RUGGED BLUETOOTH RECOVERY TAG

PART No. SL-0002-JI

Rugged IP67 Bluetooth asset tag with a replaceable long-life cell, 80 dB search buzzer and crowdsourced Bluetooth location for machinery, tools and equipment. Each tag is provisioned by scanning its QR code and appears on the Vision platform alongside your vehicles and trackers.

- **IP67 sealed screw-together housing (with both covers fully tightened)**
- **Compact 42.5 x 24 mm body — fits where a cellular tracker will not**
- **Replaceable R14250 800 mAh lithium cell (3 V) — no charging, no downtime**
- **Bluetooth Low Energy with crowdsourced Bluetooth location network**
- **80 dB buzzer for audible close-range searching**
- **Highly magnetic – fixes to steel without tools or adhesive**



Bluetooth tag · crowdsourced location

PRODUCT MARKINGS CE

IP67
SCREW-TOGETHER

800 mAh
REPLACEABLE CELL

80 dB
SEARCH BUZZER

Crowdsourced
BLE NETWORK

Ideal for

- Tools & cases
- Equipment accessories
- Equipment
- Trailers

Second line of defense
A thief who removes the main tracker rarely finds the tag.

No gateway needed
Located via the crowdsourced Bluetooth network.

Set and forget
Long-life cells, no charging.

Why Vision Telematics

Expert support
Help from our specialist team

Professional installation
Installed by trained technicians

One platform
Vehicles, cameras & assets, one login

One partner
Hardware, connectivity & software

Features & benefits

FEATURE — WHAT IT DOES	BENEFIT — WHAT IT MEANS FOR YOU
Crowdsourced location Compatible phones passing within range report the tag's position.	**Find kit without infrastructure** No gateways or SIMs to buy for every item.
Discreet recovery Small enough to hide where a cellular tracker will not fit.	**Better odds of recovery** Assets are located even after the main tracker is removed.
Long-life power Runs for months or years without charging.	**Near-zero maintenance** Tag once and forget it.
QR provisioning Scan the QR code to add the tag to the platform.	**Live in seconds** Fast rollout across large tool inventories.

Technical specifications

Specification

Housing	IP67 sealed screw-together housing (with both covers fully tightened)
Dimensions	Compact 42.5 x 24 mm body — fits where a cellular tracker will not
Fixing	Highly magnetic – fixes to steel without tools or adhesive
Battery	Replaceable R14250 800 mAh lithium cell (3 V) — no charging, no downtime
Radio	Bluetooth Low Energy with crowdsourced Bluetooth location network
Close-range search	80 dB buzzer for audible close-range searching
Operating temperature	Operating temperature –20 °C to +60 °C
In the box	Tag with cell fitted and Quick Use Guide
Radio	Bluetooth transmit power and frequency band details available on request
Certifications	CE

Options & accessories

Options & accessories

SL-0003-JI	Vision Label	SL-0004-JI	Vision Card
		SL-0011-PT	Vision Asset Ultra (primary tracker)

On the Vision platform

Live location & history
Every asset on the same map as your vehicles.

Movement & tamper alerts
After-hours movement and removal flagged instantly.

Geofences
Alerts as kit enters or leaves yards and sites.

Utilization reports
See what moved, what sat idle and for how long.

Ready to put the Mag Tag to work?

Talk to our team for a demo, a tailored quote or help choosing the right configuration. We supply, install and support everything — hardware, connectivity and the Vision platform — from one partner.

Book a demo

Request a quote

Scan for the product page

CALL
0800 020 9339

EMAIL
info@visiontelematics.com

WEB
visiontelematics.com

VISIT
22 High Street, Epworth, Doncaster DN9 1ET, UK

Vision Telematics Limited · Registered in England & Wales No. 15637894 · VAT No. GB 466 8495 33 · 22 High Street, Epworth, Doncaster, DN9 1ET, United Kingdom
© 2026 Vision Telematics Limited. All rights reserved. Specifications are subject to change without notice and may vary by region and configuration. Images are for illustration only. Vision Telematics accepts no responsibility for errors or omissions.